

TULARE PUBLIC CEMETERY DISTRICT
900 EAST KERN AVENUETULARE, CALIFORNIA 93274**PHONE (559) 686-5544**

NORTH GRAVE MARKER RULES AND REGULATIONS

WHEN ORDERING A MEMORIAL MARKER FOR YOUR LOVED ONE'S GRAVE, PLEASE KEEP IN MIND THE RULES AND REGULATIONS IN EFFECT IN OUR CEMETERY.

NOTE: ONLY ONE MARKER PER GRAVE WILL BE ALLOWED (SEE NO.7 BELOW) AND MUST BE FOR THE INDIVIDUALS INTERRED IN THE GRAVE OR TO BE INTERRED IN THE GRAVE. ONLY THE OWNER OF THE BURIAL RIGHTS TO GRAVE HAS THE RIGHT TO ORDER GRAVE MARKER. WHEN ORDERING A GRAVE MARKER FROM A MONUMENT COMPANY, THE MONUMENT COMPANY MUST CALL AND CONFIRM ALL REQUIREMENTS. A MARKER MUST MEET CEMETERY REQUIREMENTS OF SIZE AND MATERIAL OR IT WILL NOT BE PLACED ON THE CEMETERY GROUNDS.

ALL MARKERS AND/OR HEADSTONES WILL BE SET BY BARNES MEMORIAL ONLY.

1. ONLY FLAT TYPE MARKERS WILL BE USED IN THE TULARE PUBLIC CEMETERY (EXCEPT SEE UPRIGHT MARKER SECTIONS NO. 7 BELOW).
2. ONLY GRANITE, MARBLE OR BRONZE MARKERS WILL BE ACCEPTED. ALL MARKERS MUST BE AT LEAST FIVE AND A HALF (5 ½) INCHES THICK. WE REQUIRE ALL MARKERS TO BE SET IN CONCRETE AROUND ALL FOUR (4) SIDES. THE CONCRETE BORDERS AID IN THE PREVENTION OF DAMAGE TO THE MARKERS BY MOWERS, EDGERS AND TRIMMERS.
3. ALL SETTING OF MARKERS WILL BE SET BY A COMPANY WITH APPROPRIATE BUSINESS AND CONTRACTORS LICENSES AND CORRECT LIABILITY INSURANCE LIMITS ON FILE WITH THE CEMETERY.
4. TWO (2) VASES REQUIRED PER MARKER. VASES SHALL BE SPARTAN SERIES GRAY AAEON, OR EQUAL.
5. MARKER SIZE:
 - (A) SINGLE GRAVE MARKERS MAY BE: 12" X 24" OR 12" X 30"
 - (B) TWO (2) OR MORE GRAVE MARKERS MAY BE: 12" X 24", 12" X 30", 12" X 36", 12" X 48", 12" X 60" OR 12" X 72".
 - (C) BABY GRAVE MARKERS MUST BE: 8" X 16" OR 12" X 24"
6. ONE (1) OR TWO (2) 5" X 9" BRONZE PLAQUES FOR CREMATION BURIALS MAY BE ADDED TO THE CEMENT BORDER OF AN EXISTING MARKER.
7. UPRIGHT MARKERS PERMITTED ONLY IN: BLOCK "B" (ROWS B, E, H, K, N, Q, T, & W); BLOCK "D" (ROWS Q, T, W, Z, CC, FF, & II) AND BLOCK "C" (ROWS S, W, AND AA) **ONLY**. A TOTAL HEIGHT OF 38" IS ALLOWED FOR THE UPRIGHT MARKERS. THIS INCLUDES THE BASE AND MARKER.
 - (A) THE BASE SIZES SHALL BE THE SAME AS IN THE FLAT MARKER SECTIONS (SEE NO.5 ABOVE). A TOTAL HEIGHT OF 38" INCHES IS ALLOWED FOR THE UPRIGHT MARKERS. THIS INCLUDES THE BASE AND MARKER. BASE TO BE 6" MINIMUM HEIGHT. DIES OR UPRIGHTS TO BE A MINIMUM OF 6" IN THINCKNESS.
8. REQUESTS FOR BENCHES MUST BE IN WRITING ADDRESSED TO THE BOARD OF TRUSTEES AND APPROVED BY THE TRUSTEES. BENCH PADS TO BE POURED BY CEMETERY EMPLOYEES.
9. **UPKEEP FOR GRAVE MARKERS IS THE RESPONSIBILITY OF THE PURCHASER.**
10. **THE MEMORIAL MARKERS, ALSO CALLED HEADSTONES OR GRAVE MARKERS, ARE THE PROPERTY OF THE PURCHASER. THE CEMETERY IS IN NO WAY RESPONSIBLE FOR THE HEADSTONE OR ANY DAMAGE TO THEM AFTER THEY ARE INSTALLED IN THE CEMETERY. REPAIRS DUE TO VANDALISM, WEATHER OR ROUTINE GROUND MAINTENANCE MUST BE DONE AT THE OWNER'S EXPENSE. THE CEMETERY SHALL MAKE REPARIS IF THE DAMAGE IS DONE BY A CEMETERY EMPLOYEE.**

BOARD OF TRUSTEES
TULARE PUBLIC CEMETERY DISTRICT
ADOPTED MAY 8, 2002

(REV. 06/12/2002)
(REV. 09/17/2008)
(REV. 01/08/2014)
(REV. 04/12/2017)
(REV. 03/25/2021)


(REV. 06/13/2007)
(REV. 12/10/2010)
(REV. 10/08/2014)
(REV. 05/16/2018)

NORTH TULARE CEMETERY

STONE SETTINGS

A GRAVE IS 4 FT. WIDE

12"X24" OR 12"X30" FOR SINGLE MARKERS




BORDER IS THE WIDTH OF THE GRAVE. THE STONE IS CENTERED IN THE 4 FT. FRAME AND THE VASES ARE IN THE CENTER OF THE LEFT AND RIGHT SIDES EQUALLY SPREAD BETWEEN THE STONE AND THE END OF THE BORDER.

6" BORDER AT TOP AND BOTTOM.

2 VASES ONLY. VASES MUST BE SPARTAN SERIES GRAY AAEON OR EQUAL.

12"X36", 12"X48", 12"X60", 12"X72" FOR DOUBLE MARKERS OR LARGER



6" BORDER AT THE TOP AND BOTTOM.

CENTER STONE IN FRAME THEN CENTER THE VASES BETWEEN STONE AND THE SIDES OF THE FRAME. ALSO CENTER FROM TOP TO BOTTOM. 2 VASES ONLY. VASES MUST BE SPARTAN SERIES GRAY AAEON OR EQUAL.

THESE MEASUREMENTS ARE FOR ALL TYPES - FLAT, UPRIGHTS, SLANTS, HICKEYS, AND PILLOW SETS.